



iM2975

Storm

Travel Case

The Peli™ Storm Case™ has the same legendary DNA as our Peli Protector Case, with one primary difference: A unique Press and Pull latch that locks automatically, but open with a light touch.

Guaranteed for life, the Peli Storm case is made in the USA and engineered using the finest components.

- Five Press & Pull Latches
- Two Padlockable Hasps
- Two Double-layered, Soft-grip Handles
- Powerful Hinges
- O-ring seal




CONFIGURATIONS



iM2975
Standard



iM2975-X0000
No Foam



iM2975-X0002
With Padded Dividers



iM2975-X0001
With Foam

DIMENSIONS

| | |
|------------------------------|--|
| Interior (LxWxD) | 29.00 x 18.00" x 13.80 (73.7 x 45.7 x 35.1 cm) |
| Exterior (LxWxD) | 31.30 x 20.40" x 15.50 (79.5 x 51.8 x 39.4 cm) |
| Lid Depth | 2.00" (5.1 cm) |
| Bottom Depth | 11.80" (30 cm) |
| Total Depth | 13.8" (35.1 cm) |
| Int Volume | 4.17 ft ³ (0.118 m ³) |
| Padlock Hole Diameter | 1/4" (2.5 cm) |

MATERIALS

| | |
|-------------------------|--|
| Body | Injection Molded HPX™ high performance resin |
| Latch | Valox - Polybutylene Terephthalate (PBT) |
| Latch (Alt) | Xenoy - Polyester/Polycarbonate blend |
| O-Ring | EPDM |
| Pins | Stainless Steel |
| Pins (Alt) | Aluminum |
| Foam | 1.3/1.35 polyester |
| Purge Body | Valox - Polybutylene Terephthalate (PBT) |
| Purge Body (Alt) | Xenoy - Polyester/Polycarbonate blend |
| Purge Vent | Gortex membrane |

COLOURS

■ Black

■ OD Green

WEIGHT

| | |
|---------------------------|-----------------------|
| Weight With Foam | 29.50 lbs (13.4 kg) |
| Weight Empty | 22.80 lbs (10.3 kg) |
| Buoyancy | 250.02 lbs (113.4 kg) |
| Master Pack Weight | 31.50 lbs (14.3 kg) |

TEMPERATURE

| | |
|----------------------------|------------------|
| Minimum Temperature | -20°F (-28.9 °C) |
| Maximum Temperature | 140°F (60 °C) |

CERTIFICATIONS

MIL-STD-810F
ATA 300
FED-STD-101C

FOAM PROPERTIES

| | |
|-----------------------|--------------------|
| Layer 1 (Lid) | 2.00" Convolute |
| Layer 2 (Base) | 0.63" Pad |
| Layer 3 (Base) | 1.88" Pick N Pluck |
| Layer 4 (Base) | 1.88" Pick N Pluck |
| Layer 5 (Base) | 1.88" Pick N Pluck |
| Layer 6 (Base) | 1.88" Pick N Pluck |
| Layer 7 (Base) | 1.88" Pick N Pluck |
| Layer 8 (Base) | 1.88" Pick N Pluck |

OTHER

| | |
|--------------------------|-----|
| Extendable Handle | yes |
| Master Pack | 1 |
| Military | yes |

ACCESSORIES




iM29XX-UTILITYORG
Utility Organizer



iM29XX-BEZEL-LID
Lid Bezel Kit



iM29XX-BEZEL
Base Bezel Kit



iM2975-FOAM
8 pc. Replacement Foam Set



iM2975-DIV
Padded Divider Set



iM-LIDSTAY
Lid Stay



1506TSA
TSA Lock



1500D
Desiccant Silica Gel

Peli

c/ Provença, 388, Planta 7 • Barcelona, Spain 08025 • Phone: +34 934 674 999

info@peli.com • www.peli.com

Document created on 01-28-20